

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	("6189032").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 13:24
S1	1445493	((data near1 service\$1) with "id" or identi\$6) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:15
S2	982	((data near1 service\$1) with ("id" or identi\$6)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:15
S3	116	((data near1 service\$1) with ("id" or identi\$6)) and plurality near1 service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 12:16
S4	22	((data near1 service\$1) with (service near1 ("id" or identi\$6))) and plurality near1 service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:26
S5	0	((muti near1 application\$1) with (service\$1 near1 ("id" or identi\$6))) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:27
S6	0	(muti near1 application\$1) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:28
S7	6	(muti\$3 near1 application\$1) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:28

S8	0	(muti\$3 near1 service\$1) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:28
S9	13	(muti\$3 with service\$1) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:29
S10	950	(select\$3 with service\$1) and service\$1 near1 ("id" or identi\$5) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:30
S11	356	(user\$1 near1 ("id" or identi\$5)) and (select\$3 with service\$1) and service\$1 near1 ("id" or identi\$5) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:31
S12	3	(enterprise\$1 near1 provider\$1) and (user\$1 near1 ("id" or identi\$5)) and (select\$3 with service\$1) and service\$1 near1 ("id" or identi\$5) and (right or polic\$1) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:40
S13	17	(enterprise\$1 and provider\$1).ti. and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:41
S14	0	(enterprise\$1 and provider\$1).ti. and plurality near1 service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:41
S15	1	(enterprise\$1 and provider\$1).ab. and plurality near1 service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:42

S16	5	(enterprise\$1 and provider\$1).ab. and plurality with service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:42
S17	0	(enterprise\$1 and provider\$1).ab. and intergrat\$3 with service\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:43
S18	61	(enterprise\$1 and provider\$1).ab. and services and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:43
S19	2	(enterprise\$1 and provider\$1).ab. and services and service near1 ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:44
S20	3	(enterprise\$1 and provider\$1).ab. and services and service\$1 near1 ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:47
S21	4	(enterprise\$1 and provider\$1).ab. and services and service\$1 with ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:48
S22	2	(enterprise\$1 and provider\$1).ab. and services and service\$1 with ("id" or identi\$5)and user with ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:49
S23	2	(enterprise\$1 and provider\$1).ab. and services and service\$1 with ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)with ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:50

S24	164	(enterprise\$1 with provider\$1)and services and service\$1 with ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)with ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:50
S25	62	"709"/\$.ccls. and (enterprise\$1 with provider\$1)and services and service\$1 with ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)with ("id" or identi\$5)and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:51
S26	40	"709"/\$.ccls. and (enterprise\$1 with provider\$1)and services and service\$1 with ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)with ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:55
S27	113	(enterprise\$1 with provider\$1)and services and service\$1 with ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)with ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 14:55
S28	41	(enterprise\$1 with provider\$1)and services and service\$1 near1 ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:02
S29	2372	(enterprise\$1 with provider\$1)and services and (list or table) wwith service\$1 near1 ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:03
S30	4	(enterprise\$1 with provider\$1)and services and (list or table) with service\$1 near1 ("id" or identi\$5)and (user\$1 or customer\$1 or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:06
S31	4	(enterprise\$1 with provider\$1)and services and (list or table) with service\$1 near1 ("id" or identi\$5)and ((user\$1 or customer\$1) or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:13

S32	94	(list or table) with service\$1 near1 ("id" or identi\$5)and ((user\$1 or customer\$1) or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:16
S33	13	(list or table) near1 service\$1 near1 ("id" or identi\$5)and ((user\$1 or customer\$1) or subscriber\$1)near2 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:19
S34	13	(list or table) near1 service\$1 near1 ("id" or identi\$5)and ((user\$1 or customer\$1) or subscriber\$1) near1 ("id" or identi\$5)and (right\$1 or polic\$5) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:21
S35	16	(list or table) near1 service\$1 near1 ("id" or identi\$5)and (user near1 ("id" or identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:21
S36	9	(list or table) near1 service\$1 near1 ("id" or identi\$5)and (user near1 ("id" or identi\$5)) same (service\$1 near1 ("id" or identi\$5)) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/30 16:22
S37	1	("20050159136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 09:38
S38	1	("20050159136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 09:39
S39	1	("20020107916").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/31 12:10
S40	1752	GPS and (vehical\$1 or airplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:11
S41	9	709/203.ccls. and GPS and (vehical\$1 or airplane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:11

S42	0	709/203.ccls. and GPS and (vehical\$1 or airplane)and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:12
S43	0	709/218.ccls. and GPS and (vehical\$1 or airplane)and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:12
S44	615	GPS and (vehical\$1 or airplane)and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:12
S45	110	GPS and (vehical\$1 or airplane)and authori\$6 and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:13
S46	104	GPS and (vehical\$1 or airplane)and authori\$6 and @ad<="20010205" and (location\$1 or gepgraphic\$3) and (tim\$4 or dat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:17
S47	83	GPS and (vehical\$1 or airplane)and authori\$6 and @ad<="20010205" and (location\$1 or gepgraphic\$3) and (tim\$4 or dat\$4)and (updat\$3 or resett\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:18
S48	4	"709"/\$.ccls. and GPS and (vehical\$1 or airplane)and authori\$6 and @ad<="20010205" and (location\$1 or gepgraphic\$3) and (tim\$4 or dat\$4)and (updat\$3 or resett\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 12:29
S49	370	(vehical\$1 or airplane)and authori\$6 and @ad<="20010205" and (location\$1 or gepgraphic\$3) and (tim\$4 or dat\$4)and (updat\$3 or resett\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:02

S50	242	(vehical\$1 or airplane)and authori\$6 and @ad<="20010205" and (location\$1 or gepgraphic\$3) and (tim\$4 or dat\$4)with (updat\$3 or resett\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:02
S51	728	(vehical\$1 or airplane)and authori\$6 and (location\$1 or gepggraphic\$3) and (tim\$4 or dat\$4)with (updat\$3 or resett\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:03
S52	59	(vehical\$1 or airplane) same (location\$1 or gepgraphic\$3) and ((tim\$4 or dat\$4)with (updat\$3 or resett\$4))and authori\$6 and @ad<="20010205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/31 14:03
S53	1	("20010047385").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 09:34
S54	1	("6189032").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 10:23
S55	0	service\$1 same (music\$3 with grocery with calendar) and @ad<="20010314"	USPAT	OR	OFF	2005/09/01 10:24
S56	0	service\$1 same (music\$3 with grocery with calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:24
S57	0	service\$1 same (music\$3 same grocery same calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:25
S58	3	service\$1 and (music\$3 same grocery same calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:28
S59	3	(music\$3 same grocery same calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:31

S60	3	(music\$3 same grocery same calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:29
S61	30	(music\$3 same grocery) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:29
S62	7	service\$1 same (music\$3 same grocery) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 10:29
S63	6	(music\$3 same shop\$5 same calendar) and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 11:12
S64	2	(music\$3 same shop\$5 same calendar) and right\$1 and @ad<="20010314"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/01 11:47
S65	0	("20020055951").PN.	USPAT; USOCR	OR	OFF	2005/09/01 11:47
S66	1	("20020055951").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 11:50
S67	1	("6,678,682").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/01 13:24